



DN	L	ØD2
100	56	Ø155
125	64	Ø185
150	70	Ø211
200	71	Ø266
250	76	Ø312
300	83	Ø363
350	92	Ø422

NO.	NAME	MATERIAL
1	Down Bonnet	ASTM A105
2	Body	ASTM A216 WCB
3	Down Shaft	A276 420
4	Pin	ASTM A182 F6a
5	Disc	ASTM A216 WCB
6	Up Shaft	A276 420
7	Packing	Graphite
8	Packing Gland	ASTM A216 WCB
9	Yoke	ASTM A105
10	Body Seat	Overlaid +STL
11	Disc Seal Ring	ASTM A182 F6a+Graphite
12	Clamp Ring	ASTM A105

Triple offset butterfly valve		
Pressure Test (CLASS/PN)	PN16	Design & Manufacturing:API 609 Face to Face:API 609 Flange Dimensions:ASME B16.5 Test:API 598
Shell test	2.4	
Positive Seal Test	1.8	
Reverse Seal Test	--	
Air test	0.6	
Appropriate Temperature:		
Appropriate Medium:		

<b>APD</b>		<b>L32.8/ PN16 DN100-DN350</b>	
Drawing		Auditing	DN100~DN350 PN16
Approve		Date	2020.12.28
Assemble Drawing			